



INVESTOR IN PEOPLE

USA

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

**CERTIFIED COPY OF
PRIORITY DOCUMENT**

R. Mahoney


Signed

Dated 22 November 2001



THIS PAGE BLANK (USPTO)

Patents Form 7/77

Patents Act 1977
(Rule 15)The
Patent
Office

7/77

**Statement of inventorship and of
right to grant of a patent**

The Patent Office

Cardiff Road
Newport
South Wales
NP9 1RH

1. Your reference

2000P04903 GB

2. Patent application number
(if you know it)

0119566.8

13 AUG 2001

3. Full name of the or of each applicant

ROKE MANOR RESEARCH LIMITED

4. Title of the invention

LOCATION DEPENDENT DATA COLLECTION

5. State how the applicant(s) derived the right
from the inventor(s) to be granted a patentBy provisions of contract of service and Section 39(1) (a) and (b) of
the Patent Act 1977.6. How many, if any, additional Patents Forms
7/77 are attached to this form?
(see note (c))

None

7.

I/We believe that the person(s) named over the page (and on
any extra copies of this form) is/are the inventor(s) of the invention
which the above patent application relates to.

Signature

Date 13 August 2001

Clive French

8. Name and daytime telephone number of
person to contact in the United Kingdom

Clive French - 01794 833573

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there are more than three inventors, please write the names and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- d) When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- e) Once you have filled in the form you must remember to sign and date it.

Patents Form 7/77

0013957 13-Aug-01 09:44

Patents Form 7/77

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

ATKINSON Simon John
49 Woodley Lane
Romsey
Hampshire
SO51 7JR
United Kingdom

8203119001

Patents ADP number (if you know it):

GILLHAM Christopher John
16 Upper High Street
Winchester
Hampshire
SO23 8UT
United Kingdom

8006165001

Patents ADP number (if you know it):

Reminder


Have you signed the form?

Patents ADP number (if you know it):

Patents Form 7/77

0013957 13-Aug-01 09:44

Patents Form 1/77

Patents Act 1977
(Rule 16)The
Patent
Office13AUG01 E652128-1 000393
P01/7700 0.00-0119566.8**Request for grant of a patent***(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)*

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

2000P04903 GB

2. Patent application number

*(The Patent Office will fill in this part)***0119566.8****13 AUG 2001**3. Full name, address and postcode of the or of each applicant *(underline all surnames)*HOKE MANOR RESEARCH LIMITED
Hoke Manor
Old Salisbury Lane
Romsey, SO51 0ZNPatents ADP number *(If you know it)***05615455006**

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

5615455004

4. Title of the invention

LOCATION DEPENDENT DATA COLLECTION

5. Name of your agent *(if you have one)**"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)*

CLIVE FRENCH

SIEMENS SHARED SERVICES LIMITED
INTELLECTUAL PROPERTY DEPARTMENT
SIEMENS HOUSE
OLDBURY
BRACKNELL
BERKSHIRE
RG12 8FZ**8031825001**Patents ADP number *(If you know it)***07761000001**6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and *(if you know it)* the or each application number

Country

Priority application number
*(if you know it)*Date of filing
(day / month / year)

GB

0029856.6

08/12/2000

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
*(day / month / year)*8. Is a statement of inventorship and of right to grant of a patent required in support of this request? *(Answer 'Yes' if:*

Yes

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))


Patents Form 1/77

0013957 13-Aug-01 09:44

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	10
Claim(s)	4 
Abstract	1
Drawing(s)	4

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 1/77*)

1

Request for preliminary examination and search (*Patents Form 9/77*)

1

Request for substantive examination (*Patents Form 10/77*)


1

Any other documents
(please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature


Clive French

Date 13 August 2001

12. Name and daytime telephone number of person to contact in the United Kingdom

Clive French - 01794 833573

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

0013957 13-Aug-01 09:44

DUPLICATE

1

LOCATION-DEPENDENT DATA COLLECTION

5 In certain areas of the world, such as many countries of Europe, mobile telephones have become very popular. Large numbers of mobile telephones are carried by people in all walks of life as they go about their daily business. For the vast majority of the time, these telephones are either turned off completely, or are in standby mode, that is, they are powered and registered with a base station but are not actively communicating.

10 Many applications exist in which location-dependent data needs to be collected. Examples of such applications are weather monitoring, meter reading, evaluation of traffic conditions. Each of these applications will be described in greater detail below, but each requires a large amount of data to be collected from geographically dispersed sites. It would be expensive to install and maintain a
15 dedicated communications system for collecting the required data from each of these various sources.

The present invention provides a method of collecting location dependent data from geographically dispersed sites without the need for a dedicated
20 communications network. In particular, the invention allows portable communications devices such as mobile telephones to collect data relevant to the area in which they happen to be, and to transmit that data over their assigned communications channels to a central data collection point.

25 Accordingly, the present invention provides a method for collecting location-dependent data in a central data collection point comprising the steps of: collecting location dependent data from a data source, in a nearby portable communications device; transmitting the collected data to a base station of the portable communications device; and communicating the collected data along with
30 a location identifier to the data collection point.

The location identifier may be added to the data by the base station. Alternatively, the location identifier may be included in the data collected from the data source and transmitted to the base station. Alternatively, the location identifier may be supplied by a location-aware component within the portable communications device.

The portable communications device may incorporate a sensor as the data source. Such sensors are referred to herein as "environmental sensor", since they provide information relating to conditions in the immediate locality of the portable communications device. The environmental sensor may provide information representing such conditions as temperature, air pressure, humidity, radiation, air contaminant levels, acoustic noise, magnetic fields, electromagnetic and/or radio signal levels, light levels, pollen count, pheromone levels. The incorporated "environmental sensor" may accordingly detect any one or more of a wide range of conditions in the immediate locality of the portable communications device. The term "environmental data" as used herein is to be interpreted accordingly.

The transmitted data may comprise an identifier identifying the portable communications device, sent with the location identifier. The data may be used to determine the position and speed of motion of the portable communications device. In this case, the portable communications device may be carried in a vehicle, and the collected data may be used to derive location, speed and direction information relating to that vehicle. Similarly, data collected from numerous portable communications devices carried in respective vehicles may be used to derive average speed and direction information relating to traffic in a certain location. The derived speed and direction data may be used to control traffic in the respective location.

An external data source may be used, to wirelessly transmit data to the portable communications device. The external data source may transmit the data by very short range radio transmission. The data transmitted by the very short range radio transmission may comprise information relating to meter readings. The

transmitted data may incorporate an identifier identifying the transmitter, which may be used as the location identifier.

The portable communications device may be a mobile telephone.

5

A location aware component may be a GPS receiver built in to the portable communications device.

The data may be communicated to the data collection point over a telephone
10 network.

The present invention also extends to a portable communications device comprising a power source; an environmental sensor for detecting conditions in the locality of the device, and for providing corresponding data to communications
15 circuitry; and communications circuitry for transmitting the data to a base station.

The present invention also extends to a portable communications device comprising a power source; a receiver for receiving data from an external data source, and for providing corresponding data to communications circuitry; and
20 communications circuitry for transmitting the data to a base station.

The above, and further, objects advantages and characteristics of the invention will be described in detail with reference to certain embodiments given by way of examples only, with reference to the accompanying drawings, in which:
25

Figs 1-4 each schematically represent a respective embodiment of the present invention.

Fig. 1 schematically illustrates a first embodiment of the present invention.
30 A portable communications device 10 (hereinafter referred to as 'mobile phone', although the invention extends to the use of any suitable portable communications device) comprises a power supply 12, communications circuitry 14 and location

aware circuitry 16 such as a GPS (global positioning by satellite) receiver or other location aware circuitry operating other systems such as multilateration techniques, inertial navigation, UMTS location standards, or 'Galileo'. The device described thus far is known, the location aware circuitry 16 providing details of the mobile
5 phone's present position to the communication circuitry 14 to enable the mobile phone to request information relevant to the present position of the mobile phone. Such applications known at present include the ability to access street maps of the local area, telephone numbers of nearby hotels and restaurants.

10 According to certain embodiments of the present invention, the mobile phone 10 also includes an environmental sensor 18, which provides information regarding one or more characteristics of the immediate environment of the mobile phone to the communications circuitry 14. For example, the environmental sensor may detect the local temperature, humidity, air pressure, radiation level, air
15 pollution level levels, acoustic noise, magnetic fields, electromagnetic and/or radio signal levels, light levels, pollen count, or pheromone levels. Such portable communications devices are believed to be novel in themselves.

In operation, the environmental sensor 18 provides environmental data and
20 the location aware circuitry 16 provides location data. This data may be stored in a memory device within the mobile phone. At some time thereafter, the mobile phone transmits signals containing the environmental data and the location data to a base station 20. Data recording the time at which the data was provided by the sensor 18 may also be included.

25

The mobile phone may transmit its data at regular intervals – perhaps every ten minutes or every hour – or may store the data for transmission next time the mobile phone makes or receives a call. In the first instance, it may not be necessary to add time data to the transmitted environmental and location data; a time field
30 could be added by the base station if necessary. In the second case, it is necessary that a time field is transmitted with the data, since it may be several hours before the mobile phone is next used and the data transmitted to the base station.

Once the transmitted data is received at the base station 20, the environmental, time and location data are transmitted over a telephone network 30 to a central database 40 for access by a user 50.

5

In this way, it may be possible to obtain a very large set of data relating to environmental conditions over a very wide area. The density of data provided will of course depend on how many suitably enabled mobile phones have passed through the relevant area and transmitted their data in time. For example, this system may enable a weather forecasting service or government statistical office to obtain very accurate measurements of environmental conditions at many separate locations around the country, with a fairly short delay. It is, of course, only possible to employ this embodiment of the invention if mobile phones having the required environmental sensor are in sufficiently widespread use.

15

The data collected in this way may be corrupted due to particular environmental conditions of the mobile telephones. For example, some may be indoors, some outdoors, some in pockets of clothing. Each of these will affect the environmental data provided by the mobile phone, but suitable software treatment will enable statistical analysis to be performed to extract the required information.

20

Fig. 2 schematically shows a second embodiment of the present invention. In this embodiment, it is the location of the mobile phone itself that is of interest. For example, a vehicle 90 carries a mobile phone 10 having location aware circuitry 16 in standby mode. Environmental sensor 18 is not necessary in this embodiment. At a certain time, such as at predetermined intervals or when a call is made or received, the mobile phone transmits its location to the base station 20. The location information must be associated with a respective time and identity of the mobile phone. This may be achieved in several ways.

25

30

6

Most simply, the mobile phone transmits its current location to the base station, and the base station adds the time of reception of the data and the identity of the mobile phone, known from the registration process performed when the mobile phone entered the area covered by the base station.

5

Alternatively, the mobile phone may record its position at regular intervals, say every few minutes, and store the data in its memory. After a relatively lengthy time, say an hour or so, the mobile phone may transmit a list of locations and times to the base station. Again, the identity of the mobile phone may be added by the base station or may be included in the data transmitted from the mobile phone. In another example, corresponding times and locations may be stored in the mobile phone for an indefinite time, and all this data transferred to the base station the next time a call is made or received by the mobile phone. Another alternative is that the mobile phone only transmits its present position when making or receiving a call, although this may well prove to be insufficient data.

Considering the example shown in Fig. 2, the mobile phone 10 records its position 11 and the corresponding time. It may transmit the data immediately to base station 20, or may store the data for later transmission, as discussed above. Some time later, the mobile phone is at position 11'. It records its new position 11' and the corresponding time. As discussed above, it may transmit this data immediately to base station 20', possibly with the stored data relating to former position 11, or may store the data for later transmission. In any case, the time and location data is transmitted at some time to a base station such as 20 or 20'. Base stations 20, 20' may in fact be the same base station. This data is then communicated over a telephone network 30 to a central database 40. The data may then be operated upon to deduce the speed, direction and location of the vehicle at the relevant times. Furthermore, a collection of data sets from numerous vehicles in the same area may be used to build up a picture of traffic density and average speed in the relevant area. In a further development, the calculated speed and density data may be employed to feed back 60 to traffic control devices 70. For example, if traffic is calculated to be particularly dense, automatic signs 70 may be operated to

impose a reduced maximum speed limit on the relevant road. If traffic is especially slow, automatic signs 70 may be activated advising drivers to take an alternative route.

5 Present traffic monitoring systems rely upon sparsely located sites provided with expensive equipment. The present invention would allow effective traffic monitoring across a whole road network with no infrastructure investment required. All that would be necessary would be suitable programming of mobile phones containing location-aware circuitry. It would also require the services of the mobile
10 telephone network providers, and the agreement of mobile telephone users. Users may not wish to have their journey tracked and identifiable to themselves, particularly if that data is to be supplied to a regulatory body such as the police. However, the service provider could easily ensure that data would only be collected and retained as part of a statistical ensemble, and would not be traceable to any
15 particular person.

Fig. 3 schematically shows a third embodiment of the present invention. In this embodiment a data source 100 provides data by wirelessly transmitting 110 to any mobile phones 10 in the vicinity. For example, the data source may transmit
20 data on very short range radio transmission. Any mobile phone 10 which happens to be passing by will receive the transmitted data. This data may be stored for later transmission, as discussed above with respect to first and second embodiments, for example when a call is made or received by the mobile phone 10. Alternatively, the mobile phone may immediately transmit the data. In either case, the data is
25 transmitted to base station 20, and then over a telephone network 30 to a central database 40 for access by a user 50. It will be necessary to identify the data source 100 in some way. For example, this may be by including an identifier in the data transmitted by the data source 100 via the mobile phone 10 to the central database 40, or the mobile phone may add location data (if it has location-aware circuitry) to
30 the received data, and the location data can be used to identify the data source.

As shown in Fig. 3, such an embodiment may be used to obtain readings from remote monitoring stations such as flow meters on rivers or streams. Similarly, this embodiment may be applied to level monitoring in reservoirs, environmental data recorders placed in remote regions or any remote data sources, whose data output does not need to be immediately received.

A similar, fourth, embodiment is shown in Fig. 4. In this embodiment, the data source 100 is related to a meter recording the use of services such as gas, water or electricity. Data source 100, similar to that discussed in relation to Fig. 3, is provided at the metered premises 120. When required, perhaps at regular billing intervals such as one month, or several months, the data source 100 wirelessly transmits data concerning the latest meter reading to any mobile phones 10 which may happen to be in the vicinity. This transmission may be by very short range radio transmissions 110. As discussed with reference to the first to third embodiments, this data may be stored in the mobile phone, or may be immediately transmitted.

The data provided by data source 100 must at least contain a meter reading. It may also contain an identifier, such as a customer number or a house number and postcode, to identify the metered premises 120. Alternatively, the mobile phone 10 may add location data, if it is provided with location-aware circuitry 16. The time of data collection may be less relevant in this embodiment, although at least the date of the meter reading should be included in the transmission to the central database 40. The date may be added either by the data source 100, the mobile phone 10 or even the base station 20 in embodiments where transmission to the base station will necessarily take place on the same day as the data was collected from the source 100.

The data is sent via base station 20 and telephone network 30 to a central database 40 for access by a user 50, in this case a utility provider. An automated invoicing operation 52 may be performed, using the information from source 100 to calculate the amount owed to the utility provider by the occupier of premises 120.

The invoicing operation may result in a bill being sent 54 to the occupier, for example by post or by electronic mail. Alternatively, the invoicing operation may provoke a direct debit operation 55 with a bank 56, whereby the required sum of money is automatically debited from the occupier's account in favour of the utility provider, while an advice is sent 54 to the occupier.

In respect of the third and fourth embodiments, it may be important to avoid the same data being collected many times. In this case, the mobile telephone service provider may be required to send an instruction to a particular location, for any phones in that area to pick up data from a defined set of equipment. Once the body of data was collected from that area, the instruction could be narrowed down to requesting smaller remnant sets of data.

The central database should preferably be arranged to detect and eliminate multiple occurrences of the same data.

The present invention therefore provides a method of collecting location-dependent data at negligible cost by using mobile phones in standby mode carried by passing users. The invention is particularly applicable to data which does not need to be immediately transmitted to a user, provided that overall coverage is appropriate to the survey required. Indeed, if any particular data needs to be urgently transmitted, the mobile phone may be caused to call the base station immediately and transfer the data. Such calls would, of course, have to be at the expense of the organisation requiring the data, rather than the user of the mobile phone.

While the present invention has been particularly described with reference to a limited number of particular embodiments, numerous modifications and amendments may be made to the embodiments of the present invention without departing the scope thereof. For example, while the invention has been particularly described with reference to mobile phones, it is equally applicable to any suitable mobile communications device, provided that a sufficient number are in use to

10

enable the required level of coverage. Similarly, many different applications of location-dependent data can be envisaged, each of which may be collected by the methods and apparatus of the present invention.

CLAIMS:

1. A method for collecting location-dependent data in a central data collection point, comprising the steps of:
 - 5 - collecting location dependent data from a data source, in a nearby portable communications device;
 - transmitting the collected data to a base station of the portable communications device; and
 - communicating the collected data along with a location identifier to the
- 10 data collection point.
2. A method according to claim 1 wherein the location identifier is added to the data by the base station.
- 15 3. A method according to claim 1 wherein the location identifier is included in the data collected from the data source and transmitted to the base station.
4. A method according to claim 1 in which the location identifier is
- 20 supplied by a location-aware component within the portable communications device.
5. A method according to any preceding claim wherein the portable communications device incorporates an environmental sensor as the data source,
- 25 which provides information relating to environmental conditions in the immediate locality of the portable communications device.
6. A method according to claim 5 wherein the environmental sensor provides information representing at least one of: temperature, air pressure,
- 30 humidity, radiation, air contaminant levels, acoustic noise, magnetic fields, electromagnetic and/or radio signal levels, light levels, pollen count, pheromone levels.

7. A method according to claim 2 wherein the transmitted data comprises an identifier identifying the portable communications device, sent with the location identifier, and the data is used to determine the position and speed of motion of the portable communications device.

8. A method according to claim 7 wherein the portable communications device is carried in a vehicle, and the collected data is used to derive location, speed and direction information relating to that vehicle.

9. A method according to claim 8 wherein data collected from numerous portable communications device carried in respective vehicles is used to derive average speed and direction information relating to traffic in a certain location.

10. A method according to claim 8 or 9 wherein the derived speed and direction data is used to control traffic in the respective location.

11. A method according to any of claims 1-4 or 7-10 wherein an external data source wirelessly transmits data to the portable communications device.

12. A method according to claim 11 wherein the external data source transmits the data by very short range radio transmission.

13. A method according to claim 12 wherein the data transmitted by the very short range radio transmission comprises information relating to meter readings.

14. A method according to any of claims 11-13 in which the transmitted data incorporates an identifier identifying the transmitter, which is used as the location identifier.

13

15. A method according to any preceding claim in which the portable communications device is a mobile telephone.

16. A method according to claim 4 or any claim dependent on claim 4
5 wherein the location aware component is a GPS receiver built in to the portable communications device.

17. A method according to any preceding claim wherein the data is
communicated to the data collection point over a telephone network.
10

18. A method substantially as described herein, with reference to the accompanying drawings.

19. A portable communications device for use in a method according to
15 claim 5 or any claim dependent on claim 5, comprising:
- a power source;
- an environmental sensor for detecting environmental conditions in the
locality of the device, and for providing corresponding data to communications
circuitry; and
20 - communications circuitry for transmitting the data to a base station.

20. A device according to claim 19 wherein the environmental sensor
provides information representing at least one of: temperature, air pressure,
humidity, radiation, air contaminant levels, acoustic noise, magnetic fields,
25 electromagnetic and/or radio signal levels, light levels, pollen count, pheromone
levels.

21. A portable communications device for use in a method according to
claim 11 or any claim dependent on claim 11, comprising:
30 - a power source;
- a receiver for receiving data from an external data source, and for
providing corresponding data to communications circuitry; and

14

- communications circuitry for transmitting the data to a base station.

22. A portable communications device substantially as described herein with reference to the accompanying drawings.

15

ABSTRACT**LOCATION-DEPENDENT DATA COLLECTION**

5 A method is described for collecting location-dependent data in a central
data collection point. The method comprises the steps of: collecting location
dependent data from a data source, in a nearby portable communications device;
transmitting the collected data to a base station of the portable communications
device; and communicating the collected data along with a location identifier to the
10 data collection point.

[Fig. 1]

THIS PAGE BLANK (USPTO)




Fig. 1

THIS PAGE BLANK (USPTO)

2/4




Fig. 2

THIS PAGE BLANK (USPTO)

3/4




Fig -3

THIS PAGE BLANK (USPTO)

4/4




Fig. 4

THIS PAGE BLANK (USPTO)